

JSF FORMS AND RADIO BUTTONS



Topics

- Radio Button Demo
- JSF Terminology: **selectOneRadio**
- Full JSF Page Example

Radio Button Demo

First name:

Last name:

Favorite Programming Languages:

☐ Java ☐ C# ☐ PHP ☐ Ruby

JSF Terminology

A Radio Button is represented by the tag


<h:selectOneRadio>

Using the `<h:selectOneRadio>`

Favorite Programming Languages:

```
<h:selectOneRadio value="#{studentThree.favoriteLanguage}">
    <f:selectItem itemValue="Java" itemLabel="Java" />
    <f:selectItem itemValue="C#" itemLabel="C#" />
    <f:selectItem itemValue="PHP" itemLabel="PHP" />
    <f:selectItem itemValue="Ruby" itemLabel="Ruby" />
</h:selectOneRadio>
```


Pulling It All Together



To Do List

1. Add new managed bean class: **StudentThree**

1. firstName, lastName, **favoriteLanguage**

2. Update the form to use **<h:selectOneRadio>**

3. Update the confirmation page ... to display the favorite language

The student is confirmed: Ajay Rao

The student's favorite programming language: PHP

Summary

- Radio Button Demo
- JSF Terminology: **selectOneRadio**
- Full JSF Page Example

JSF FORMS AND RADIO BUTTONS

